

RPC Review Report

8/5/2009

By Nathan Mattox

SEMO			Layers	Verified	Corrected	Remove	Average(m)	Max(m)
ORIG	Added	RETURN						
152	0	152	Wastewater		0			
501	0	501	Houses of Worship		0			
6	0	6	Adult Daycare		0			
159	0	159	Child Daycare		0			
5	0	5	Dialysis		0			
11	0	11	Hospitals		0			
93	0	93	Nursing Homes		0			
52	0	52	Pharmacies	13	13	0	114	3069
7	23	30	Government/Military		1			
2	0	2	Correction Adult		0			
2	0	2	Correction Youth		0			
10	0	10	EMS No Fire		0			
82	1	83	FireStations EMS	13	10	1	14	835
38	0	38	Law Enforcement	38	24	0	168	3170
2	0	2	Schools Higher Ed		0			
23	0	23	Schools Private		0			
2	0	2	Schools Handicap		0			
82	0	82	Schools Public		0			
7	0	7	Commercial Retail	7	4	0	4	10
Bootheel								
ORIG	Added	RETURN		Verified	Corrected	Remove	Average(m)	Max(m)
69	0	69	Wastewater		0			
565	0	565	Houses of Worship		0			
3	0	3	Adult Daycare		0			
160	0	160	Child Daycare		0			
3	0	3	Dialysis		0			
4	0	4	Hospitals		0			
45	0	45	Nursing Homes		0			
42	0	42	Pharmacies		0			
6	17	23	Government/Military		1			
1	0	1	Correction Adult	1	0	0		
2	0	2	Correction Youth	2	2	0	5968	6334
15	6	21	EMS No Fire	14	6	0	3272	21598
64	1	65	FireStations EMS	60	5	2	15	724
51	0	51	Law Enforcement	45	6	0	13	217
0	0	0	Schools Higher Ed		0			
13	0	13	Schools Private		0			
3	0	3	Schools Handicap		0			
100	0	100	Schools Public		0			
5	0	5	Commercial Retail	5	0			